[http://www.cartft.com/catalog/il/2021]





498.00 EUR

incl. 19% VAT, plus shipping

- Open-Frame!
- LED Backlight!
- · Auto Power On!
- HDMI!

With special sunlight readable transflective TFT and Anti-Glare surface!

Using transflective panels and Anti-Glare touchscreens enables readability even under direct sunlight. For the first time with midrange-models, TFT panels with transflective technology are used. An anti-reflexion-coating additionally minimizes reflections on the surface. Transflective TFTs combine the advantages of reflexiv and transmissive display systems. The incoming light, which is making the surface of other display types to be unreadable, is reflected by the rear side of the panel. Because of this passive relexion the image is winning on brilliance. During dark light conditions the readability is still ensured by a transmissive backlight.

LED-Backlight-Technology, with optimized color saturation enabling particular high and shining display. The scale of displayable color nuances is increased by 45% because of the new technology. Conventional LCDs are based on CCFL backlight, which can display approx. 72% of the standard color scale of NTSC (National Television Systems Committee). With LED-Backlight-Technology 104% of the NTSC-color scale can be displayed. This results in displaying in a highly realistic manner.

Note: This Open-Frame TFT display is an offer primarily meant for business and project customers. End consumers should only handle with unprotected electronic parts with appropriate experience.

Possible additional options (starting from a MOQ of 20 units):

- Speakers

Support: Drawing

[http://www.cartft.com/catalog/il/2021]

- Different cable lengths
- Other display models/sizes
- Touchscreen RS232 instead of USB
- Other connector types
- [...] Ask us!

Additional informations:

With the touchscreen functionality you easily can control your PC. The briliant HDMI-display ensures a maximum readability and sharpness.

AC-Adapter for home usage and a car cigarette lighter adapter are included.

The CTFHD-800WMSL can be used with any PC/MAC with HDMI- and USB port.

Driver-CD included, compatible with:

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat, Mandrake,...
- Macintosh OS 9.x, 10.x
- DOS,..

8.0" digital
16:9 wide TFT screen
2400x480= 1,152,000 dots
1024x600
640x480-1920x1200 (also eg. 1366x768)
RGB stripe
1000 nits
300:1
30°C to 85°C
DC 9-36V
max. 10W
2x Video inputs (PAL/NTSC) 1x HDMI input
195.4 x 119.5 x 32.6 mm Display : 174 x 105 mm
1.0Vp-p, composite video
Full function OSD control (englisch) Auto Power On/Off LED backlight Autodimmer
8.0" HDMI Open-Frame Touchscreen TFT with Video-support
Power Adapter f. EU 230V
Cigarette Lighter Adapter
- Touchscreen Driver-CD
- Manual



$\label{thm:continuous} \textbf{CTFHD800-WMS-HDMI~8.0" (16:9)~TFT-Touchscreen~USB-Video-OPEN-FRAME~(1024x600, 1000~nits, LED)-TRANSFLECTIVE~PRO-\\$

[http://www.cartft.com/catalog/il/2021]



Displays with $\underline{\text{True-800x480-Support}}$ achieve a pixel accurate view at 800x480@70Hz