

CTFPND-10C-8GB128GB (7" Android TabletPC/PND, Waterproof IP67, Ruggedized, 1.4-2.4Ghz Deca Core CPU/8GB RAM, GPS/WLAN/BT/3G/4G, Android 10)

598.00 EUR

incl. 19% VAT, plus shipping

[http://www.cartft.com/catalog/il/2658]



Support: Google Play Store

Introducing the new 10.1" capacitive multi touch display water resistant media tablet from CarTFT. CTFPND-10C-8GB128GB is rugged design with IP67 rating whilst also being drop proof. With its detailed industrial and mechanical design, the CTFPND-10C-8GB128GB keeps the high performance media tablet in a fashionable and durable housing which is great for outdoor activities. For a better audio and video experience, CTFPND-10C-8GB128GB allows users to experience high definition (HD) content on the device.

- Deca-Core (10x) 1.4-2.4Ghz 64bit CPU, 8GB RAM, 128GB ROM !
- High performance media tablet with rugged design with IP67 rating
- Drop proof of 1M
- Dual Cameras (13MP/5MP)



- Speakers for high quality audio playback
- 10.1" sunligh-readable 1200nit capacitive multi touch screen
- True HD 1080P Video Playback & Output
- High capacity battery for an entire days use
- Android 10 support
- GPS/WLAN/BT/3G/4G !

If you have a project with serious size and are able to sign a NDA we can provide Androis-OS-system builder kit for this device which enables you to create your own Android OS image (eg. own boot logo, own preinstalled apps and settings, etc...) !

| Dimension                     | 320 x 228 x 12 mm   |
|-------------------------------|---|
| Weight from                   | 760 g   |
| Protection Level              | 1M drop proof & rugged design with IP67 rating  |
| CPU                           | MediaTek Helio X20 (MT6797) [2x ARM-A72@2.4GHz, 2x<br>ARM-A53@2GHz, 2x ARM-A53@1.4GHz]  |
| GPU                           | Mali-T720   |
| OS                            | Android 10 (older version on request)   |
| Memory                        | 4 GB  |
| Storage                       | 128 GB ROM EMCP   |
| Memory Slot                   | MicroSD (max. 64GB)   |
| GPS Chipset                   | Built-In  |
| Color Display                 | 10.1" TFT LCD with Multi Capacitive Touch Screen  |
| Denel Deselution & Drinktosee | 1200 x 1920 Pixels IPS/AFFS   |
| Panel Resolution & Brightness | 1200nits Sunlight readable  |
| Battery Type                  | Rechargeable Lithium Type   |
| Battery Capacity              | 14600mAh  |
| Speaker                       | Yes   |
| Sensors                       | Axis Accelerometer, Orientation, Gravity, Linear Acceleration,<br>Rotation Vector, Magnetic Field, Gyroscope, Ambient Light Sensor  |
| Cameras                       | 13.0 Megapixels (rear side) [AF/Flash]<br>5.0 Megapixels (front side)   |
| Wireless Interface            | WLAN 802.11a/b/g/n (2.4Ghz/5Ghz)<br>Bluetooth 4.0 LE (A2DP+EDR)<br>GSM/EDGE/GPRS/WAP (B2/B3/B5/B8)<br>WCDMA [HSDPA+/HSUPA+] (B1/B2/B5/B8)<br>TDSCDMA (B34/B39)<br>TD-LTE (B38/B39/B40/B41)<br>FDD LTE (B1/B3/B7)  |
| I/O ports                     | USB Type-C 24pin (Support OTG)<br>2x USB Host<br>DC port<br>RS232 port<br>3.5mm Headphone with Mic-in<br>Build-in Microphone<br>MicroSD Reader<br>Buttons (Menu, Back, Home, Search, Scan, Defined, Direction,<br>Confirm, On/off)<br>SIM card slot<br>SMA GPS Antenna port (passive, female) |



CTFPND-10C-8GB128GB (7" Android TabletPC/PND, Waterproof IP67, Ruggedized, 1.4-2.4Ghz Deca Core CPU/8GB RAM, GPS/WLAN/BT/3G/4G, Android 10) [http://www.cartft.com/catalog/il/2658]

Shock-proof : 1-19Hz/1.0mm ;19-200Hz/1.0g Drop-proof : MIL-STD-810G/Method516.6/Procedure IV Dust/Water proof : Class 6/7 Reliability : MTBF>50000h;MTTR<0.5h Environment Operating ambient temperature: -20° to 60°C Nonoperating temperature: -40° to 80°C Relative humidity: 5% to 95% noncondensing Maximum operating altitude: 15,000 feet (4500 m) - UHF RFID (902-928Mhz or 865-868Mhz) - HF RFID/NFC (13.56M) - LF RFID (125k or 134K with animal tag support) - Barcode scanner (M3296/M3096/E203) Optional modules available (on request) - Fingerprint module (G2010) - GNSS GPS module with external antenna (RTK, 0.025m accuracy) - RTD module with external antenna (GPS, Galileo, QZSS) - CTFPND-10C-8GB128GB Android PND (grey color. Green/orange available with 100++ units order) - Quick start Manual Scope of supply - USB cable - AC USB power adapter

- SIM-Card Adapter